

A modern interior scene featuring a dark shelving unit on the left, illuminated with blue light. The shelves hold several wine glasses and dark bowls. On the right, a black chair with an orange seat is positioned in a minimalist room with a grey wall and a white table. The word "Union" is written in large white letters across the center.

# Union



01-2209



# Union



*Suspensions for interior equipped with SMD LEDs, structure of aluminum and metal painted in sand white, matt gold or sand black.*

*Suspensii pentru interior echipate cu LED-uri SMD, structură din aluminiu și metal vopsită alb mat, auriu mat sau negru mat.*

*Sospensioni per interni equipaggiate con SMD LED, struttura in alluminio e metallo verniciata bianco opaco, oro opaco o nero opaco.*


*Люстры для интерьера оснащенные светодиодами SMD, структура из алюминия и металла окрашена в матовый белый, матовый золотой или матовый черный цвет.*

*Beltéri függesztékek, SMD LED-el szerelve, matt fehér vagy matt fekete alumínium és fém szerkezet.*

*Очаквания за интериор, разполагат със SMD светодиоди, алуминиева и метална структура боядисана в матово бяло, матово златно или матово черно.*

*Závesné interiérové svietidlá vybavené LED diódami SMD, štruktúra hliníka a kovu lakovaná v brúsenej bielej, brúsenej zlatej alebo brúsenej čiernej farbe.*


art. **01-2202** Sand White  
 art. **01-2203** Matt Gold  
 art. **01-2204** Sand Black



Led type	SMD LED 3030 20 pcs x 1.7W
Power	34W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	3510 lm
Lumen system	2632 lm
CRI	90
Not dimmable	

CE IP20


art. **01-2205** Sand White  
 art. **01-2206** Matt Gold  
 art. **01-2207** Sand Black



Led type	SMD LED 3030 30 pcs x 1.7W
Power	50W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	5265 lm
Lumen system	3948 lm
CRI	90
Not dimmable	

CE IP20

art. **01-2208** Sand White  
 art. **01-2209** Matt Gold  
 art. **01-2210** Sand Black



Led type	SMD LED 3030 40 pcs x 1.7W
Power	68W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	7020 lm
Lumen system	5265 lm
CRI	90
Not dimmable	

CE IP20

