


Series of light fittings for indoor, equipped with SMD LEDs, direct or direct/indirect light dispersion, metal structure electrostatically painted in mat white, satin glass diffuser.



Zoom



01-1129

Zoom



Zoom

Series of light fittings for indoor, equipped with SMD LEDs, direct or direct/indirect light dispersion, metal structure electrostatically painted in mat white, satin glass diffuser.

Serie de aparate de iluminat pentru interior, cu dispersie directă sau directă/indirectă a luminii, echipate cu LED-uri SMD, structură din metal vopsit în câmp electrostatic alb mat, dispersor din sticlă satinată.

Serie di apparecchi per interni, equipaggiati con LED SMD, ad emissione luminosa diretta oppure diretta/ indiretta, corpo in metallo verniciato a polveri colore bianco opaco, diffusore in vetro satinato.

Серия осветительных приборов для интерьера с распределением света в прямом или прямом/ отраженном направлении, оборудованные светодиодами SMD, металлическая структура окрашена в электростатическом поле в белый матовый цвет, рассеиватель из сатинированного стекла. Beltéri világítótestek, direkt vagy direkt/indirekt fényszórással, SMD LED-el ellátva. Elekrtosztatikus mezőben festett matt fehér színben, matt opál üveg előtétttel.


Серия интериорни осветителни апарати с пряко или пряко/непряко разсейване на светлината, оборудвани с SMD LED-ове, структура от метал боядисан в електростатично поле матово бяло, разсейвател от гланцирано стъкло.

Séria interiérových svietidiel, vybavená LED SMD s priamym alebo priamym/nepriamym svetelným tokom, kovová konštrukcia elektrostaticky maľovaná matnej bielej farby a saténový sklený difúzor.




Technical info

art. 01-1126







SMD LED 2835, 204 + 42 pcs x 0,2W

49W

5292 lm

2577 lm 85

Ø

220V-240V, 50/60Hz 3000K

Led type

Color temperature

Lumen source

Lumen system

Not dimmable

C € ⊕ IP20


Power

Input

CRI

art. 01-1128

C€⊕₽20



Led type	SMD LED 2835 252 + 54 pcs x 0,2W
Power	61W
Input	220V-240V, 50/60Hz
Color temperature Lumen source Lumen system CRI Not dimmable	3000K 6588 lm 3507 lm 85 ©

C€⊕**I**P20

Color temperature

Lumen source

Lumen system

Not dimmable

Led type

Power

Input

CRI



20			

35W

3850 lm


1965 lm

85

Ø

220V-240V, 50/60Hz 3000K

SMD LED 2835, 144 + 33 pcs x 0,2W



Led type	SMD LED 2835, 24 pcs x 0,5W
Power	12W
Input	220V-240V, 50/60Hz
Color temperature	3000K
Lumen source	1308 lm
Lumen system	643 lm
CRI	85
Not dimmable	\otimes

 Led type
 SMD LED 2835, 252 pcs x 0,2W

 Power
 50W

 Input
 220V-240V, 50/60Hz

 Color temperature
 3000K

 Lumen source
 5350 Im

 Lumen system
 3336 Im

 CRI
 85

 Not dimmable
 🐼

C€⊕∎20

C€⊕**IP20**